Safety Data Sheet

Issue Date: 30-Jan-2009	Version	
	1. IDENTIFICATION	
Product Identifier		
Product Name	Pyramex Lens Cleaning Towelette	
Other means of identification		
SDS #	HLC-007W	
Product Code	LCT100, LCC100, LCTBULK,	
Recommended use of the chemical	and restrictions on use	
Recommended Use	Lens cleaner. Instrument care. Water based clean	ner.
Supplier Address Hilsinger Company 33 West Bacon Street Plainville, MA 02762 Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)	1-508-699-4406 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)	
	2. HAZARDS IDENTIFICATION	
Appearance Liquid absorbed onto a towelette	Physical State Solid containing liquid	Odor Mild alcohol odo
Classification_		
The information below is for the liquid consumer good and when used as inte	absorbed onto the wipe when used in an industrial ended is unlikely to present a hazard.	setting. The wipe itself is considered a
Serious eye damage/eye irritation		Category 2
Specific target organ toxicity (single ex	(posure)	Category 3 Category 2
Flammable Liquids		

Causes mild skin irritation

<u>Signal Word</u> Danger

Hazard Statements Causes serious eye irritation May cause respiratory irritation. May cause drowsiness or dizziness Highly flammable liquid and vapor



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a poison center or doctor/physician if you feel unwell IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isopropyl Alcohol	67-63-0	20-30
Ethylene Glycol Monobutyl Ether	111-76-2	1-10

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash with soap and water. If irritation persists or an allergic reaction occurs, call a physician.

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. If symptoms persist, call a physician.
Ingestion	Do not induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth to a person who is unconscious or convulsing. Consult a physician.
Most important symptom	s and effects
Symptoms	Causes serious eye irritation. Causes mild skin irritation. May cause respiratory irritation.

May cause drowsiness or dizziness. May cause nausea, vomiting, stomach ache, and

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

diarrhea. Ingestion may cause central nervous system depression.

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Flammable.

Hazardous Combustion Products Carbon oxides.

Sensitivity to Mechanical Impact Not sensitive. Sensitivity to Static Discharge Yes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required. Avoid contact with eyes and skin. Remove all sources of ignition.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.

Methods for Clean-UpUse personal protective equipment as required. Wipe or soak up with absorbent material for
disposal. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear appropriate personal protective equipment. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep out of the reach of children.
Conditions for safe storage, incl	uding any incompatibilities
Storage Conditions	Keep away from incompatible materials, open flames, and high temperatures. Keep

IS Keep away from incompatible materials, open flames, and high temperatures. Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep out of the reach of children.

Incompatible Materials Strong oxidizing agents. Acids. Chlorinated compounds.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³
Ethylene Glycol Monobutyl Ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³

Appropriate engineering controls

Engineering Controls Showers. Eyewash stations. Ventilation systems.

Individual protection measures, such as personal protective equipment

- **Eye/Face Protection** Avoid contact with eyes.
- Skin and Body Protection Protective gloves.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before reuse. Provide regular cleaning of equipment, work areas and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Solid containing liquid		
Appearance	Liquid absorbed onto a towelette	Odor	Mild alcohol odor
Color	Colorless	Odor Threshold	No information available

Property pН **Melting Point/Freezing Point Boiling Point/Boiling Range** Flash Point **Evaporation Rate** Flammability (Solid, Gas) **Upper Flammability Limits** Lower Flammability Limit Vapor Pressure Vapor Density **Specific Gravity** Water Solubility Solubility in other solvents **Partition Coefficient Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity** Dynamic Viscosity **Explosive Properties Oxidizing Properties** VOC Content

Values

No information available No information available 12 °C / 54 °F No information available Not determined No information available Not determined No information available No information available Not determined Not determined Not determined Not determined No information available

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Hazardous polymerization does not occur.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Heat, flames and sparks. Incompatible Materials.

Incompatible Materials

Strong oxidizing agents. Acids. Chlorinated compounds.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Eye Contact	Causes serious eye damage.
Skin Contact	Causes mild skin irritation.
Inhalation	Do not inhale.
Ingestion	Do not ingest.

Remarks • Method

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
Isopropyl Alcohol	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870	= 72.6 mg/L (Rat)4 h	
67-63-0		mg/kg (Rabbit)		
Ethylene Glycol Monobutyl Ether	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg (= 2.21 mg/L (Rat) 4 h = 450 ppm	
111-76-2		Rabbit)	(Rat) 4 h	

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol		Group 3		Х
67-63-0				
Ethylene Glycol Monobutyl	A3	Group 3		
Ether				
111-76-2				

Legend

 ACGIH (American Conference of Governmental Industrial Hygienists)

 A3 - Animal Carcinogen

 IARC (International Agency for Research on Cancer)

 Group 3 IARC components are "not classifiable as human carcinogens"

 OSHA (Occupational Safety and Health Administration of the US Department of Labor)

 X - Present

 STOT - single exposure
 May cause respiratory irritation. May cause drowsiness or dizziness.

 Chronic toxicity
 Avoid repeated exposure. Contains a known or suspected reproductive toxin.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow- through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50
Ethylene Glycol Monobutyl Ether 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Isopropyl Alcohol 67-63-0	0.05
Ethylene Glycol Monobutyl Ether 111-76-2	0.81

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Isopropyl Alcohol Toxic	me California Hazardous Waste Status	Chemical Name
	hol Toxic	Isopropyl Alcohol
67-63-0 Ignitable	Ignitable	67-63-0

14. TRANSPORT INFORMATION					
<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.				
DOT	Not regulated				
IATA_	Not regulated				
IMDG	Not regulated				

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Isopropyl Alcohol	Present	Х		Present		Present	Х	Present	Х	Х
Ethylene Glycol Monobutyl Ether	Present	Х		Present		Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl Alcohol - 67-63-0	67-63-0	27	1.0
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	3.72	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl Alcohol 67-63-0	Х	X	X
Ethylene Glycol Monobutyl Ether 111-76-2	Х	X	Х

16. OTHER INFORMATION

<u>NFPA</u> <u>HMIS</u>	Health Hazards 2 Health Hazards 2	Flammability 3 Flammability 3	Instability Not determined Physical Hazards 0	Special Hazards Not determined Personal Protection B- Safety Glasses, Gloves
Issue Date: Revision Date: Revision Note:	30-Jan-2009 23-Jan-2018 Update			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet