
# **SECUNORM 175**

SMALL FORM, BIG PERFORMER.







Original size



### 4-times usable blade Why do you benefit more from your blade? With its four sharp edges, it can be rotated four times. That's why. The result? Blade life is quadrupled and you stay sharp for longer.




# Ergonomic handle MARTOR wants to make your work easier for you, which is why we always have ergonomics in mind. With its small size and rounded off end, there's nothing uncomfortable about this cutter. A grooved slider offers grip for even better handling.



### Easy blade change

Once again we've improved blade change. Simply press against the blade change button and pull to open the handle. The slider automatically folds up, revealing the blade. Rotate or change and continue cutting.



### Double-sided slider

The SECUNORM 175 is user friendly in the best sense of the word. And with its double sided slider, it is suitable for both, right and left handed users. No modification required.




### Practical eyelet

A cutting tool as handy as the SECUNORM 175 fits in your pocket. Mostly! To make your cutter even more available, you can pull a strap through the eyelet. And hang it around your wrist, for example.


### Surprisingly comfortable, incredibly capable.

The SECUNORM 175 enriches our range of popular small box cutters. Its unique features include the cleverly-designed and incredibly easy blade change system. Other highlights include its ergonomic handle, double-sided slider and a fresh design. The SECUNORM 175 is a versatile cutting tool that apart from cardboard boxes, also masters bags, films and strappings.


### **Application**







### Safety technology



### Automatic blade retraction – a high degree of safety

The automatic blade retraction of the SECUNORM 175 ensures a high degree of safety from cut injuries. As soon as you have started cutting, take your thumbs off the slider. And the blade will immediately retract into the handle after leaving the material being cut.

### **PRODUCT FEATURES**

### Technical features



High safety



Tool-less blade change



Abrasion resistant



Very ergonomic



4-times usable blade



Cutting depth



For right and left hander



Lanyard hole



Printable for promotional purposes

### Main cutting materials



Cardboard: up to 2-ply



Wrapping, stretch, and shrink foil



Tape



Plastic strapping band



Bagged goods



Layers of foil or paper

### Installed blade



NO. 45

0.30 mm

### Optional blade



NO. 145

0.30 mm, stainless steel

### Certificates and awards



# 11.2018 | Printed in Germany. Subject to technical changes.

## YOU CAN FEEL THE QUALITY.

### **SECUNORM 175**

- > Ergonomic and effective
- > Automatic blade retraction
- > Ergonomic handle
- > One blade, four cutting corners
- > TÜV-certified

### PRODUCT DETAILS

Order No.	NO. 175001.02  1 in single unit box (20 in multipack)	
Packaging unit		
Knife size (L x W x H)	109,5 x 13,5 x 34 mm	
Main material	Glass fibre reinforced plastic	
Weight	31,0 g	
Cutting depth	10 mm	
Spare blade Packaging unit Size (L x W x Thickness)	NO. 45.60 (10 in transparent pack) 39 x 18,4 x 0,30 mm	
Certified	GS certificate NO. 603609-6669-55094- 2018	
Accessories		
BELT HOLSTER M WITH CLIP		NO. 9921
USED BLADE CONTAINER		NO. 9810
WALL MOUNT BRACKET USED BLADE CONTAINER		NO. 9845
SAFEBOX		NO. 108000

### **CONTACT AND SERVICE**

What makes our cutting solutions even safer? Our advisory services! We are always on hand, to give advice, to provide you with training material, to meet with you in person if necessary.

You will find further information on our website: www.martor.com



At a glance: the safety poster shows the most important functions and correct usage – perfect for your workplace.



From the first cut to changing the blade, our video will show you the best way to use this knife



Everything you want to know: dimensions, properties, special features and more about our cutting tools can be found in the Technical Data Sheet.



tools can be found in the Technical Data Sheet.

Still have questions? You can reach our service department on +49 212 73870-0