
SECUNORM HANDY TIMELESS APPEARANCE, PROBLEM-FREE APPLICATION.





ENJOY SAFETY MADE IN SOLINGEN



Original size



4-cutting edge blade Why do you benefit more from your blade? Because it has four sharp cutting edges. By turning and turning it over, you quadruple the usage time - and always cut again like new.



Slider on both sides With the right hand? With the left hand? It's all the same here. Because we have fitted the SECUNORM HANDY with a slider that is accessible from both sides. So, anyone can really work with it!



Stainless steel Yes, you are right, it's a power package. Because the plastic insert of is inside a stainless steel handle. Your cutting tool is glad to go "through thick and thin" with you for a little longer.



Handy format The SECUNORM HANDY can slip into every pocket. For times when it's not in use. When in use, you will appreciate its lightness and size. Ribbing on the slider is a grippybonus.



Without tools

Changing blades is so easy. You do not need a tool. Pull the plastic insert out of the handle at the back, turn or change the blade, put everything back and there you have it!

Small and handy. With a stainless steel body.

Do not be fooled by how compact the SECUNORM HANDY is. Being handy, doesn't mean it's cute, on the contrary: It is a cutting tool with "bite" and all the qualities required, even for a moist work environment. You can use the stainless steel handle and the blade for a particularly long time. As it is both lightweight and handy it is suitable for many cutting applications even high frequency cutting.

Application



Automatic blade retraction – a high degree of safety The automatic blade retraction of the SECUNORM HANDY guarantees a very high degree of safety from cut injuries. As soon as you've started the cut remove your thumb from the slider. The blade will then withdraw back into the handle immediately after leaving the material being cut.

PRODUCT FEATURES

| Technical features | | | | |
|------------------------|--|--------------------|---------------------------------------|--|
| | High safety | | Tool-less blade change | |
| | Abrasion resistant | | Ergonomic | |
| | 4-times usable blade | ⊢ 13 ⊣ | Extended blade length | |
| | Cutting depth | | For right and left hander | |
| LOGO | Printable for promotional purposes | | | |
| Main cutting materials | | | | |
| | Cardboard: up to 2-ply | ~~~ | Wrapping, stretch, and shrink foil | |
| 0 | Таре | | Plastic strapping band | |
| | Bagged goods | | Layers of foil or paper | |
| Installed blade | | | | |
| 00 | () ○ ○ NO. 45 | 0.30 mi | 0.30 mm | |
| Optional blade | | | | |
| | NO. 145 | 0.30 mm, stainless | | |

Certificates and awards



YOU CAN FEEL THE QUALITY.

SECUNORM HANDY

- > Robust, stainless steel handle made of metal
- Small and handy
- > One blade, four cutting corners
- › Automatic blade retraction
- > TÜV-certified

PRODUCT DETAILS

| Order No. | NO. 444.02 | |
|---|--|------------|
| Packaging unit | 1 in single unit box (20 in multipack) | |
| Knife size (L x W x H) | 100 x 7.8 x 25.5 mm | |
| Main material | Stainless steel | |
| Weight | 35.0 g | |
| Cutting depth | 8.5 mm | |
| Spare blade Packaging unit Size (L x W x Thickness) | NO. 45.60 (10 in transparent pack) 39 x 18.4 x 0.30 mm | |
| Certified | GS certificate NO. S 60108554 | |
| Accessories | | |
| BELT HOLSTER M WITH CLIP | | NO. 9921 |
| USED BLADE CONTAINER | Ō | NO. 9810 |
| WALL MOUNT BRACKET USED BLADE CONTAINER | | NO. 9845 |
| SAFEBOX | \bigcirc | NO. 108000 |
| | | |

CONTACT AND SERVICE

What makes our cutting solutions even safer? Our advisory services! We are always on hand, to give advice, to provide you with training material, to meet with you in person if necessary.

You will find further information on our website: www.martor.com



At a glance: the safety poster shows the most important functions and correct usage – perfect for your workplace.



From the first cut to changing the blade, our video will show you the best way to use this knife.



Everything you want to know: dimensions, properties, special features and more about our cutting tools can be found in the Technical Data Sheet.



Still have questions? You can reach our service department on +49 212 73870-0