
SECUPRO MARTEGO ALMOST TOO GOOD TO BE TRUE!





ENJOY SAFETY MADE IN SOLINGEN





Perfect handling The advantages of the SECUPRO MARTEGO lie in your hands. The curved and lockable housing, the soft-grip for better handling, the "pre-set" cutting edge; these three factors guarantee an ergonomic experience.



4-edged blade The Solingen quality blade,

with its four sharp edges, can be rotated multiple times. It's worth it! In the meantime, a relatively small cutting depth protects your goods from unnecessary damage.



Change safely When you need to change the blade, you can do so without any additional tools. Here, the "pull" of the SECUPRO MARTEGO is revealed: the integrated magnet ensures that the blade cannot fall out.



Everything under control It's all about aluminium. The powder-coated metal body does not only contribute to the SECUPRO MARTEGO's extraordinary design. It credits the cutter with extreme robustness and durability.



Blade lock for extra protection Your SECUPRO MARTEGO accompanies you on your job at every cut and turn? Glad to hear it. But always press the blue activator when you've finished cutting! This way the blade cannot make a surprise appearance.

For highest demands.

A cutting tool in which function and design go hand in hand? Meet SECUPRO MARTEGO, our prize winning lockable cutter with fully automatic blade retraction. Get used to the word "very" in its presence: it's very safe, very robust, very ergonomic, very versatile, and made to very high standards. This cutter is not only suitable for both right and left-handed users, but also for those with larger hands.

Application Safety technology

Fully automatic blade retraction – a very high degree of safety The fully automatic blade retraction of the SECUPRO MARTEGO guarantees a very high degree of safety from cut injuries. The blade withdraws into the handle immediately after leaving the material being cut. Even when the lever is still being squeezed.

Technical features Very high safety Safer blade change (with magnet) Very abrasion Very ergonomic resistant Safety lock 4-cutting edge blade Ceramic blade Cutting depth insertable For right and left Soft grip (₁₁₎) اللزال handers Printable for LOGO promotional - ı purposes Main cutting materials Cardboard: Plastic strapping band up to 2-ply Slabbing material Таре off a roll Wrapping, stretch, Layers of foil or and shrink foil paper Installed blade 0.40 mm NO. 92 Optional blade NO. 92C 0.50 mm, ceramic NO. 192 0.40 mm, stainless NO. 60092 0.40 mm, rounded blade tips

Certificates and awards





product design award

PRODUCT FEATURES

THE PERFECT FIT FOR ALL. DOES THE PERFECT JOB.

SECUPRO MARTEGO

- › Ergonomic squeeze-grip
- > Perfect for frequent application
- > Fully automatic blade retraction
- > Well made and cleverly designed, featuring soft-grip
- > GS-certified for approved safety

PRODUCT DETAILS

Order No.	NO. 122	NO. 122001.02	
Packaging unit	1 in single unit box (10 in multipack)		
Knife size (L x W x H)	155 x 18 x 48.5 mm		
Main material	Aluminium		
Weight	105.0 g		
Cutting depth	9 mm		
Spare blade Packaging unit Size (L x W x Thickness)	NO. 92.66 (10 in safety dispenser) 26 x 18.5 x 0.40 mm		
Certified	GS certificate NO. S 60125853		
Accessories			
BELT HOLSTER M WITH CLIP		NO. 9921	
USED BLADE CONTAINER	Ō	NO. 9810	
WALL MOUNT BRACKET USED BLADE CONTAINER		NO. 9845	
SAFEBOX	C	NO. 108000	

CONTACT AND SERVICE

What makes our cutting solutions even safer? Our advisory services! We are always on hand, to give advice, to provide you with training material, to meet with you in person if necessary.

You will find further information on our website: www.martor.com



At a glance: the safety poster shows the most important functions and correct usage – perfect for your workplace.



From the first cut to changing the blade, our video will show you the best way to use this knife.



Everything you want to know: dimensions, properties, special features and more about our cutting tools can be found in the Technical Data Sheet.

٥Ē

Still have questions? You can reach our service department on +49 212 73870-0